


Hyperion (Brio) Insight Plug-in Installation - Campus File Server


The following instructions will walk you through installing the Insight Plug-in for Internet Explorer using the campus file server. In order to use this installation method, you must be connected locally to the campus network or you must be using VPN if connecting remotely. If this installation method does not work, you can either [Install the Insight Plug-in using WinZip](#) or you can [Install the Insight Plug-in via HTTP](#).

1. Click on the **start** button on the windows task bar and then select **Run...**



2. Enter the following into the text box:

[\\sambasrv\public\dept\ais\dw\Insight\PluginSetup.exe](#)



Then click the **OK** button.

If you get an error message, repeat this step using each of the following:


[\\sambasrv.rpi.edu\public\dept\ais\dw\Insight\PluginSetup.exe](#)

[\\128.113.22.15\public\dept\ais\dw\Insight\PluginSetup.exe](#)


3. If you see the following screen, select **Run**, otherwise proceed to step 4.




4. When the following window appears, enter your RCS user ID and password.



5. You will see the following status bar indicating that the program is installing.



6. After the status bar completes you will be notified with the following message.



7. Click **OK** and the installation is complete.

To ensure that the plug-in has been properly installed, log into the data warehouse by going to <http://brio.server.rpi.edu/Brio>, then navigate to a BQY and open it. If the document fails to open, please ensure that this is not being caused by a pop-up blocker running in your web browser.

If you need additional help, please send an email to the data warehouse support group at iacs-dw-sup-l@lists.rpi.edu.